

DVBC Hybrid Dongle



Features:

- Watch Digital (DVB-C/ DVB-T) and Analog TV on your Notebooks and PCs
- PenDrive Size portal dual systems TV receiver
- Support Free to Air Digital Terrestrial DVB-T Receptions (6/7/8 Mhz)
- Support Worldwide Analog TV Receptions (NTSC / PAL / SECAM)
- Fully comply to MPEG 2 and DVB-C standard
- Support EPG function
- Composite and S-Video input for video capture and editing (Editing software is optional)
- USB Bus Power, no Extra Power required
- **ArcSoft TotalMedia Software** : User-Friendly interface with powerful functions
 - Digital and Analog TV Mult-System support
 - Auto Channel Scan
 - Supports Real-time video recording in MPEG-2 format.
 - Time-Shifting and Scheduled Recording function
 - Multiple Channel Preview
 - Video capturing (To capture video, a video grabber is required)
 - Edit the Video and Photo files with a simplified operation.
 - Create beautiful slide show presentations for work or fun



Specifications:

Interface	USB 2.0	
Digital TV	Input Signal	75 ohm (VHF / UHF)
	Receiving Frequency	VHF 174~230 MHz
		UHF 470~862 MHz
Demodulator and FEC	Channel Bandwidth	6, 7, 8MHz
	COFDEM Mode	2K, 8K
	Code rate	1/2, 2/3, 3/4, 5/6, 7/8
	Guard interval	1/4, 1/8, 1/16 or 1/32
Analog TV	TV Standards	NTSC, PAL, and SECAM
	Tuner systems	(B, G, H, D, K, I, M, N, L, and L')
	TV Channel	CATV, VHF/UHF
DVB-C	Frequency Range	110~862Mhz
	Demodulation	16, 32, 64, 128, 256QAM
	Video Decoding	MPEG2
	Symbol Rate	3 6.952Mbaud
Analog Video Capture	Video	Composite video in S video in
	Audio	Audio Input-R/L RCA jack
IR	Remote Control	Infrared Remote Control
Dimension	TV Dongle	9.5 X 2.2 X 1.5 cm (L X W X H)
Weight	Device Net Weight	Appro. 25 g

Accessories (Package Contents):

- USB 2.0 DVB-C / DVB-T / Analog Dongle
- Portable Antenna
- Remote Control
- Quick Installation Guide
- Installation CD (Driver / Total Media)
- AV/S-Video Cable

System Requirement:

- Windows® XP(SP2) / VISTA
- Pentium® IV 1.2 GHz or above (P IV 1.6 GHz or higher is recommended)
- 256MB RAM (512MB DDR RAM recommended)
- Graphics card (Must support Microsoft DirectX 9.0 or above)
- Sound card (AC97 compatible sound card)
- One available USB 2.0 port
- 250 MB (for software installation use)



TEL: +886 2 86984245 FAX: +886 2 86984108

Add: 15F, No.81,Sec.1, Hsin Tai Wu Rd.,Hsi -Chih 221, Taipei Hsien, Taiwan

- 1GB free HD space (For TV recording use)
- CD-ROM drive (For software installation)
- Microsoft DirectX 9.0c or above